

QUILTERS CARRY-ALL CUTTING INSTRUCTIONS  
FOR INSIDE POCKETS AND BINDINGS

Inside pocket NON-QUILTED fabric ONLY – 2 1/4 yards  
PLUS

Inside binding NON-QUILTED fabric ONLY 1 yard

OR

Inside pocket & binding NON-QUILTED fabric – 3 1/4 yards

Medium-heavy interfacing for inside pockets – 2 1/4 yards

Either fusible or non fusible

For bindings cut 4 – 2 1/2" wide strips WOF

5 – 3" wide strips WOF

Then sub-cut into the following

2 – 2 1/2 "x 26" binding outside pockets

3 - 2 1/2 "x 8" binding sides

2 – 2 1/2 "x 44" binding top edge

2 – 3"x 26" binding bottom edge front & back

3 – 3"x 44" binding sides


# QUILTERS CARRY-ALL CUTTING INSTRUCTIONS

→ Directional Pattern ←

2 1/3 Yards Quilted Fabric 84" x 44"

(All cuts made from single layer Fabric)


3yds. 2.



\*Diane Tolin suggests that it might be best to buy the quilted fabric versus making your own. This pattern has so many layers coming together on the inside seams making it difficult to get all the seams sewn correctly because of the bulk. She used her own quilted fabric and from her experience she is making this suggestion.

2 ¼ Yards Quilted Fabric 81" x 44"  
(All cuts made from single layer Fabric)

3.



\*Diane Tolin suggests that it might be best to buy the quilted fabric versus making your own. This pattern has so many layers coming together on the inside seams making it difficult to get all the seams sewn correctly because of the bulk. She used her own quilted fabric and from her experience she is making this suggestion.

QUILTERS CARRY-ALL CUTTING INSTRUCTIONS

Inside Pockets

2 1/4 Yards Non-Quilted Fabric 81 x 42"

(All cuts made from single layer Fabric)

